

Rolling Radiation Shield

- 26" W x 64.5" H x 20" D (front to back)
- Stainless Steel Exterior
- 12" W x 16" H Viewing Window
4 mm LE glass
Polycarbonate on both sides of glass
- Available in 1/2", 1/4" or 1/8" lead
- 2 lockable and 2 fixed casters

Custom Sizes Available!

Contact Us With Your Dimensions

- NMC-RS18** Rolling Radiation Shield, 1/8" lead
Weight: 125 lb
- NMC-RS14** Rolling Radiation Shield, 1/4" lead
Weight: 185 lb
- NMC-RS12** Rolling Radiation Shield, 1/2" lead
Weight: 350 lb



Clear-Lead™ Personal Mobile Barrier

- Unique hour-glass contour provides "hands-on" patient access while providing radiation protection (0.5 mm LE) where it's needed
- Easy-roll, four-caster base and two grip handles
- Positions flush to the table for total patient access
- Telescoping up/down feature allows 10" of height adjustability

Specifications:

Overall dimensions:	24" W x 72" H
Adjustable Height:	62" - 72"
Hour-glass shape window:	48" H x 24" W
Cutouts:	10.3" H x 4" D
Shielding:	Clear-Lead acrylic (0.5 mm LE)
Base:	4" locking caster base 18" x 17.4" footprint
Weight:	50 lb

- 042-583** Clear-Lead Personal Mobile Barrier



Compact Adjustable Radiation Shield

- Shield can be used to protect technologists from sitting or lying "hot" patients
- Fold down shelf can be used to hold syringe shields, carriers and injectors
- Wheel and swivel locks on each caster



Specifications:

Dimensions:	24" W x 24.25" D x 32.5" H
Shield:	22" W x 19" H
Folding Shelf:	24" W x 5" D
Height Adjustable:	35" to 45"
Shielding:	1" lead
Finish:	Powder coat
Weight:	230 lb
Shipping Weight:	366 lb

- 042-522** Compact Adjustable Radiation Shield

